

Snapshot Best Practices: Relational Data Migration



Snapshot provides powerful tools for migrating connected sets of data records between Salesforce orgs. This capability is useful for backing up data, refreshing Sandboxes, merging orgs, and populating orgs with test data for application development. The Bulk API is used for all transactions to ensure that very large datasets can be moved efficiently. We have moved millions of records while testing the data migration tools in Snapshot.

When records are migrated between orgs, all of the internal relationships are preserved. External references in the dataset are also connected to matching objects on the destination. This whitepaper presents detailed information on how to build and migrate datasets. We also document the CSV format that Snapshot uses for importing datasets from other systems or creating them with a spreadsheet editor.



Source and Destination Orgs

When you select the Deployment Arrow between any two connected Snapshots, the Options Menu will display various commands. You can also right-click the Deployment Arrow to see the options in a popup menu. The third submenu will have options to Build, Migrate, and Manage Datasets. If you do not see these options, then perhaps the Deployment Arrow is connected to a Developer Project. They do not have any actual data and cannot be used as a source to build a dataset or as a destination for migration.



The option to Build Datasets will use the source Salesforce org to download multiple records in the form of XML files to your local machine. The option to Migrate Datasets will insert and update records from the selected dataset into the destination Salesforce org. The option to Manage Datasets can be used to create a dataset from CSV files, remap field names, remap field values, create external IDs, rename the dataset, duplicate the dataset, import CSV files, and export CSV files.



Build Datasets Dialog

The first tab of the Build Dataset dialog allows you to select the dataset and template that you would like to work with. If you are moving records associated with a managed package, then check out the Prebuilt Templates menu for help moving those records. For example, Salesforce CPQ, Health Cloud, and Government Cloud all have custom templates.

Se Build Datase	ts For Winter R	elease (Source	: person1@met	tazoa.com)		+ 🗆 🗖
Select Dataset	Select Parents	Select Children	Loaded Fields	Build Dataset	Schedule Build	
Create a new dat	aset or replace an ex	xisting one:				
⊖ Create Nev	v Dataset					
O Replace Ex	kisting Dataset		test_dataset			
Create a new tem	nplate, use an existir	ng template, or selec	t a prebuilt templat	e:		
⊖ Create Nev	v Template		🕹 Import T	emplate	Export Template	
O Use Existin	ig Template		test_dataset			-
⊖ Select Prel	built Template		Account Case			
Dataset: test_da	taset, Source: perso	n1@metazoa.com, I	Built: 12/15/2021 8:	03 AM		
 ▼ Account (Sele ▼ Opportunit Opport 	ect All) ty (AccountId) unityLineItem (Oppo	rtunityld)				
		Cancel		N	lext	



Selecting Parents and Children

The next tab allows you to select the parent records that you want to include in the dataset. These records are available on the source Salesforce org. You can select all records, a subset of records by name, or a subset of records using a complex filter. There is also an option to write a SOQL query by hand. The total number of downloaded records can be limited. This is useful for grabbing a random subset of records for acceptance testing or application development.

Build Datasets For Winte	er Rele	eas	e (person1@metazoa.com	to test_dataset)	+
Select Dataset Select Paren	nts se include	Sele ed in	ect Children Loaded Fields	Build Dataset Schedule Build	
Select objects below to include i	in the d		Select records below for the current	nt object.	
Quick Find Custom Objects			O No Selection	Select Records With Filter	
_DX_Objectc	*			Select Becords With SOOI	
locount	*		Select All Records		
.ccount_Custom_Settingsc	*		Select Records By Name	Select Random Record Set	
ctionLinkGroupTemplate	*				
ctiveFeatureLicenseMetric	*		Field:	Operator: Value:	
ctivePermSetLicenseMetric	*		Account Name	starts with General	and
ctiveProfileMetric	*				
dam_Barc	*	IIII	None	None	and
dditionalNumber	*				
liways_visiblec	*		-None	None	and
	不			None	and
pexComponent	不生				
nevTestSuite	*		None	None	
pexTrigger	*				
ppAnalyticsQueryRequest	*		Example Data	Limit Total: 100	
pprove_me_c	*				
sset	*				
ssetRelationship	*				
		-			
		ок	; J	Next	



The next tab allows the selection of connected child objects for each parent object. When a dataset is created, the selected parent records are loaded first, followed by all the children connected to that parent. You can specify multiple child objects in a hierarchy. The relationship field used to associate each parent and child is shown in parenthesis. The internal relationships between parent and child are always preserved when the dataset is migrated.

Build Dataset	s For Winter R Select Parents	elease (person1 Select Children	l@metazoa Loaded Fie	a.com to test_data	set) 🛨 🗖 🕻
Select children rel Available Childrer	ated to the parent o	bjects.		Selected Parents and	Child Record Limits
Quick Find Child AttachedContenti Attachment (Pare Case (Sourceld) CombinedAttachr ContentDocumen ContentDocumen FilowResord (Case) FlowExecutionErr FlowRecordRelati OpenActivity (Alte ProcessInstance (Objects Document (LinkedEi ntld) hent (Parentld) Link (LinkedEntltyl) 'instPublishLocation eplyToEmailMessag lation (EmailMessag dation (EmailMessag orEvent (ContextRe on (RelatedRecord) rmateDetailId) 'TargetObjectId)	ntityld) d) ild) jeld) jeld) scordld) d)		Account (Select With Case (Accountid) CaseComment CaseSolution (C ContentDocume EmailMessage EmailMessage (Filter) (ParentId) CaseId) antLink (LinkedEntityId) (RelatedToId) (ParentId) Estimate Dataset Size
		ОК		1	Next

Notice the Child Record Limits button at upper right. This feature allows you to add a filter or limit the number of records for the selected child object. Also see the Estimate Dataset Size button at lower right. This option will calculate the estimated number of records and total size of the dataset before it is actually created.



Loaded Fields

After that, you can select fields to load for each parent and child object. The parent and child objects that were selected will be above the dividing line at left. You can choose fields that need to be loaded by moving them to the list at right. Snapshot will automatically figure out the best fields to load, so you may not need to do anything on this tab. Fields that cannot be created or updated on the destination do not usually need to be loaded. Removing unwanted fields makes your dataset smaller in size and easier to migrate.



Snapshot also uses the loaded fields to identify matching records in the destination org during migration. If a source record matches a destination record, then the corresponding destination record is updated. If a source record does not match any destination record, then a new destination record is created.

Snapshot automatically selects the most common matching fields for you. However, you can also manually select matching fields. For example, if you want to match Accounts by Name and BillingCity, then be sure that both Name and BillingCity are loaded. You will be able to specify the exact list of matching fields that you want to use in the Migrate Datasets dialog.

Underneath the dividing line you will see "external references" to other objects in the destination org. For example, if you select Opportunity objects for migration then you will see an external reference to Campaigns, because the Opportunity object contains a CampaignId reference field. Snapshot will automatically connect external references to matching objects on the destination org when the dataset is migrated. You can manually specify additional fields needed for matching external references as well.



Build Datasets Button

The next tab allows you to enter the name of a new dataset and then click the Build Datasets button at right to start the download process. If you select an existing dataset name from the menu then that dataset will be replaced. All of the download results will be listed in the window pane at lower right.

Click the button to move person1@metazoa.com to test_dataset Working Source Objects Build Report Account (Select With Filter) Created username person1@metazoa.com Case (AccountId) Created orgid 00D300000vueEAA Source Solution (CaseId) Source orgid 00D30000000vueEAA Destination dataset test_dataset Working on level 1 Download: Account Download: Account Build job: 7508Z0000VnBuJ Adding batch for Account Download: Jobs Working on level 2	Select Dataset	Select Parents	Select Children	Loaded	Fields	Build Dataset	Schedule Build	
Source Objects Build Report Account (Select With Filter) Created fullname Tim Barnes Case (AccountId) Created fullname Tim Barnes Case (ParentId) Source username person1@metazoa.com EmailMessage (RelatedToId) Source orgid 00D3000000vueEAA ContentDocumentLink (LinkedEntityId) Source orgid 00D3000000vueEAA CaseSolution (CaseId) Working on level 1 Working on level 1 Build bb: 7508Z00000Vn8uJ Adding batch for Account Downloading results for Account Closing all jobs Working on level 2			Click the button to r	nove perso	on1@r	metazoa.com to test_e	dataset W	orking
	Account (Select V Case (Account CaseComm EmailMessa EmailMessa ContentDoc CaseSolutio	Vith Filter) Id) ent (ParentId) ge (ParentId) uge (RelatedToId) umentLink (LinkedE n (CaseId)	intityld)		B CCCSSSD WDBAADCC W	reated username pers reated fullname Tim E reated orgid 00D30000 ource username perso ource orgid 00D30000 estination dataset tes 'orking on level 1 ownload: Account uild job: 7508Z00000' dding batch for Accou ownloading results for losing all jobs 'orking on level 2	on1@metazoa.com Barnes 00000vueEAA on1@metazoa.com arnes 100000vueEAA t_dataset Vn8uJ int r Account	

The XML files with your dataset information will be saved in the "datasets" folder next to the "workspaces" folder in the Snapshot file system. Datasets are globally available for migration to any destination org. In other words, any source org can be used to build a dataset, and any dataset can be migrated to the destination org.

The last tab allows you to Build Datasets at a specific time in the future or as a recurring event. When a scheduled dataset is created, it will automatically replace the current dataset by name. Unlike Snapshots, datasets are not maintained in a time series.



Manage Datasets Dialog

The Manage Datasets dialog has some very helpful utilities for creating and transforming your datasets. From this interface you can create a dataset from CSV files, remap field names, remap field values, create external IDs, rename the dataset, duplicate the dataset, import CSV files, and export CSV files. The next section discusses the CSV file format that is used by the create, import, and export options. If you don't need that information right now, you might want to skip the next section. After that, we discuss all the options in the Manage Datasets interface.

Manage Datasets For Winter Re	lease	+ 🗆 🗖
Manage Datasets Compare Datasets	Display Report Schedule Report	
Available Datasets	Dataset Objects	Management Options
Quick Find Available Datasets	Account (Select All)	Create
account_data data_archive	Opportunity (Accountia) OpportunityLineItem (OpportunityIc	Remap
developer_test_data production_backup		▲ External
sandbox_seed_data test_data		+ Rename
		Duplicate
		Delete
		↓ Import
		Export
		Dataset: account_data Arrow Name: Winter Release Username: person1@metazoa.com Source Org ID: 00D30000000vueEAA Source Org Name: Genericorp Built: 12/15/2021 8:03 AM
0	K	Next



CSV File Format

The CSV file format encodes all the field values as well as the internal and external relationships in the dataset. This format expects the first row of CSV data to be field names, followed by additional rows for each record. The columns must include the field name "ID" to specify a unique record ID, and the field name "objtype" to specify the object type. Here is an example of the CSV file format with two Account records:

•	AutoSave OFF	ন চি ত হ 🛙	hand_accounts		Q- Search Shee	et 🙂 🗸
Hon	ne Insert Draw Pa	ge Layout Formulas	Data Review V	View		🛃 Share 🔺
Paste	Calibri (Body) • B I U •		= = ₽ = = ₽ = = ₽ • = ∞ Num	D T T	Conditional Formatting * Format as Table * Cell Styles *	Cells Editing
H14	$ \times \sqrt{f_x} $					•
	А	В	С		D	Е
1	Id	objtype	Name			
2	88	Account	Honeywe	ell		
3	43	Account	Accentu	re		
4						
	hand_accounts +					
Rea	dy				▣ ─	 + 200%

The rest of the columns are used for other fields like the Account Name. In this example, the ID field is from some other system, because these are obviously not 18-character Salesforce IDs. The IDs can be in any format, but they must be self-consistent for all the internal relationships to be maintained. Now let's look at another imported CSV file with Contact data that refers to the Account records above:

• •	AutoSave OF	· ۲ 🖬 🗅	ა -		🚯 hand	L_contacts		Q.
Hon	ne Insert Drav	w Page Layout	Formulas Data	Review View				
R	🕹 Cut Cali	bri (Body) 🔻 12 🔻	A A = =	= _ * *	📑 🖓 Wrap Text	General *	• •	🔶 🗰 🗸 🗰 🗙 🗸 🏪
Paste	Server Copy - B	IUI	<u>♦ • A</u> • = =	= = •= •=	😝 Merge & Center 🔻	\$ • %) •.0	Conditional Format Cell Formatting as Table Styles	Insert Delete For
15								
	А	В	С	D	E	F	G	
1	Id	objtype	FirstName	LastName	AccountId			
2	35	Contact	Bob	Jones	43			
3	72	Contact	Ann	Smith	98			
4								
5								
6								
	hand_contacts	+						
Rea	dy							



The Contact data contains a reference to a parent Account record. Snapshot will connect each Contact to any Account with that ID in the destination org. In our example, the Contact record for Bob Jones will be properly connected to the Account record for Accenture because they both have the same Id = 43.

• •	AutoSave 🔵 🕫	🗈 🖪 🕤 י	ب گ		👫 hand	_contacts		Q,
Hon	ne Insert Dra	w Page Layout	Formulas Data	Review View				
Paste	Cut Copy ▼ Sormat Cali Cali Cali Cali Cali Cali Cali Cali	bri (Body) + 12 + I <u>U</u> + +		= = », . = = •= •=	📑 ờ Wrap Text 💷 Merge & Center 🔹	General \$ ▼ % \$ €.00 \$ 00 •.00 •.00 •.00 •.00 Condit Format	ional Format Cell tting as Table Styles	k v lete For
15	$ \stackrel{\bullet}{\downarrow} \times \checkmark f_x$	e						
	А	В	С	D	E	F	G	
1	Id	objtype	FirstName	LastName	AccountId	AccountId.Name	AccountId.objtype	
2	35	Contact	Bob	Jones	43	Accenture	Account	
3	72	Contact	Ann	Smith	98	Prudential	Account	
4								
5								
6								
	hand_contacts	+						
Rea	dy							1 🗉

Here is another version of the Contact CSV file that includes better matching information for the parent Account records. If you include the AccountId.objtype and AccountId.Name fields, then these fields will be available in the Migrate Datasets dialog to match destination objects with the same object type and name. In our example, one Contact will connect to Accenture by ID, and the other Contact will connect to Prudential by Name, if such a record exists in the destination org.

In this manner, Snapshot will use the imported CSV data to match both internal and external references. The required reference information is usually easy to include in the CSV file. For example, you could use the Salesforce SOQL Query below to capture all the information needed to create our example CSV data for Accounts and Contacts:

SELECT Id, Name FROM Account

SELECT Id, FirstName, LastName, AccountId, Account.Name FROM Contact



Create Datasets

Click the Create button on the Manage Datasets dialog to open an interface that allows you to import files and folders. This information will be used to create a new dataset. The files should be in the CSV file format discussed above. You can also import XML files. Simply go to the dataset folder and select any group of XML files from an existing dataset. This is useful if you want to migrate an existing dataset in sections.

The imported files are added to the list at left. You can right-click the items here and adjust their order. This is useful for making sure that parent objects are processed before child objects. In the previous example, you would want to make sure that Accounts are listed before Contacts. The imported fields and source records are visible in the lists at right.

To create a new dataset, go to the next tab, give your new dataset a name, and click the Create Dataset button. This will add the new dataset to the list on the first tab of the Manage Datasets dialog.

Select Files Create Dataset					
✓ Add Folder	~	Add File X Remove	Fil	le	Select multiple CSV and XML files
Selected Files campaign(select_all)1_2.xml campaignmember(campaignid)1_3.xml contact(select_all)1_1.xml ead(select_all)1_4.xml		Lead: 71 Available Fields LastModifiedByld.Username LastModifiedDate LastName Latitude LeadSource Longitude MobilePhone Name NumberOfEmployees NumberOfEmployees NumberOfEmployees Ownerld Ownerld.Name Ownerld.Name Ownerld.objtype PartnerAccount PartnerAccountld Phone PostalCode Primary_c			Lead: 19 Source Records Mark Bruso Mark Bruso Tom Slama Mark Bruso Tom Slama Tom Slama Tom Slama Tom Slama Tom Slama Mark Bruso Katharine Miller



Remapping Field Names

Click the Remap button on the Manage Datasets dialog to open an interface that will remap field names and values. Remapping field names is useful when you want to migrate the data between fields with different names. For example, you might need to merge two different custom objects.

To use this feature, select the object to be remapped at left. Select the field name to remap in the center and select the destination field at right. The fields at right will be defined by the available objects and fields in the destination org. You might have to select an arrow that has the desired destination org for this to work as expected.

Proceed to the Remap Dataset tab and click the Remap Dataset button. This will transform all the field names in the selected dataset. Now the field names in this dataset will match the destination org.

Manage Datasets For Winter Release						
Remap Dataset: account_data						
Field Names Field Values Rema	Dat	taset				
Remap dataset field names to destination	field	names.			Clear Changes	
Dataset Objects		Source Names			Destination Names	
Account		Id] [Account	
Contact		A_Long_Numberc			A_Long_Numberc	
Contract Opportunity		AA_Fieldc			AA_Field_c	
OpportunityLineItem Pricebook2		Account_Checkc			None	
PricebookEntry		Account_Depthc			None	
RecordType		Account_Flagc			SLASerialNumber_c	
User		Account_IDc			Account_IDc	
		AccountNumber			AccountNumber	
		AccountSource			AccountSource	
		Activec			Active_c	
		AnnualITBudgetc			AnnualITBudget_c	
C	ĸ			N	lext	



Remapping Field Values

Click the Remap button on the Manage Datasets dialog to open an interface that will remap field names and values. Remapping field values is useful when there are username transformations, picklist differences, and email suffixes that need to be matched against the destination org.

To use this feature, select the object and field to be remapped at left. Select the source value in the center and type in a destination value at right. You can import and export all the destination values as text files. Right-click the destination for editing options.

Proceed to the Remap Dataset tab and click the Remap Dataset button. This will transform all the field values in the selected dataset. Now this dataset can be migrated to the destination and the new field values will match.

Field Names Field Values Reman	Dat	aset			
emap dataset field values to destination	field	values.		Clear Changes	
Dataset Picklists		Source Values		Destination Values	
Account.Account_Depthc		60486 Frankfurt am Main		60486 Frankfurt am Main	
Account.Account_Flagc		80636 Muenchen		80636 Muenchen	
Account.Account_IDc		8700 Horsens		8700 Horsens	
Account.AccountNumber		92 564 Rueil Malmaison Cedex		92 564 Rueil Malmaison Cedex	
Account.AccountSource		Al-Khober		Al-Khober	
Account.Activec		Albany		Albany	
Account.BillingCity		Altamonte Springs		Altamonte Springs	
Account.BillingCountry	1111	Amsterdam		Amsterdam	
Account.BillingGeocodeAccuracy	1	Andover		Andover	
Account.BillingPostalCode		Ann Arbor		Ann Arbor	
Account.BillingState		Atlanta		Atlanta	
Account.CorporateDesktopHWStandard		Auckland		Auckland	
Account.CorporateDesktopOSStandard		Austin		Austin	
Account.Fax		Aylesbury		Aylesbury	
Account.Industry		Babelsberg		Babelsberg	
Account.Jigsaw		Barcelona		Barcelona	
Account.Name		Beaverton		Beaverton	
Account.Ownership		Billerica		Billerica	
Account.Phone		Blackpool		Blackpool	
Annual Driver Date Control conting		Dianahaadataaaa	1	Disaskandatawa	



Create External IDs

Click the External button on the Manage Datasets dialog to open an interface that will create external IDs on the source org, the dataset itself, or the destination org. When you create an external ID on the source org, Snapshot creates a custom **formula** field that sets the field value equal to the object ID. When you create an external ID on the destination org, then Snapshot creates a custom **text** field that receives the source ID value. You can give the new custom field any name that you like. Field Level Security is automatically set for the System Administrator Profile and the field is hidden from everyone else.

Sometimes administrators don't want to create a bunch of external IDs in the source org. That might be disruptive if the org is in active use. In this case, Snapshot offers the capability to create an external ID on the dataset itself, as if the external ID was actually from the source org. This works exactly the same way when the destination records are tagged or matched with the source ID. The beauty of this is that you can fully exploit the power of migrating data with external IDs without actually having any external ID fields in the source org.

eate External ID Fields			
Create external ID fields for the source org	, selected dataset, or	r destination org, below:	
Enter the name of an external ID field to cr	reate at right:	metazoa_external	_idc
Source org: person1@metazoa.com	Selected da	taset: account_data	Destination org: newss@mz.com
Create Source Fields	Create	Dataset Fields	Create Destination Fields
Quick Find Source Objects	Quick Find Datas	set Objects	Quick Find Destination Objects
A_DX_Objectc	X Account		A_DX_Objectc
X Account	🗙 Campaign		X Account
Account_Custom_Settingsc	X Contact		Account_Custom_Settingsc
Adam_Barc	X Contract		AccountBrand
always_visiblec	X Opportunity		AccountRelationship
approve_mec	X OpportunityLin	eltem	ActiveScratchOrg
Asset	Pricebook2		Adam_Barc
AssetRelationship	X PricebookEntr	у	Adam_Childc
AuthorizationForm	Product2		AgentWork
AuthorizationFormConsent	RecordType		always_visiblec
AuthorizationFormDataUse	X User		ApiAnomalyEventStore
AuthorizationFormText	8		approve_mec
bill_customc			Asset



Import and Export Datasets

Click the Import button on the Manage Datasets dialog to open an interface that will import a dataset as a local file or from shared storage. Click the Export button to open an interface that will export a dataset as a local file or to shared storage. The local files will be saves as a zipped dataset folder. The shared storage uses Salesforce Content folders and documents that are saved in the Snapshot License Org. This is an easy way to archive datasets or share them with your administrative team.

nport Dataset	
Import a dataset: Open A Local File	
Download From Shared Storage Select a shared dataset at right:	account_backup test_five_autonumber test_four_polymorph test_one_accounts test_three_settings test_two_groups
Cancel	ок



Migrate Datasets Dialog

After a dataset has been created, you are ready to migrate these records to a destination Salesforce org. Right-click a Deployment Arrow that is connected to the correct destination org and select the Migrate Datasets option to get started. The Migrate Datasets dialog allows you to select any of the global datasets from the list at left and see the objects and fields that are available in the list at right. The next four tabs provide options for matching fields, scrambling fields, deactivating assets, and finally migrating the selected dataset.

Migrate Datasets For Winter	Relea	se (Destir	nation: newss@m	z.com)				+ 🗆 🗖
Select Dataset Matching Fields	Scran	nble Fields	Deactivate Assets	Migra	ate Da	ataset	Schedule Migra	ite
Dataset: account_data, Source: person	1@met	azoa.com, B	uilt: 12/15/2021 8:55 A	м		(Fields	Records
Available Datasets		Source Ob	Source Objects		_	Oppor	tunityLineItem Field	ds: 14 Available, '
account_data data_archive developer_test_data production_backup sandbox_seed_data test_data		Opport	ortunity (AccountId) ortunityLineItem (Oppor	tunitylc		Create Create Descrip Discoul Id (id) LastMe Name Oppor Priceb Produc Quanti Service SortOr UnitPr	edByld (reference) edByld (reference) odDate (datetime) ption (string) int (unknown) oddifiedByld (reference) oddifiedDate (datetim (string) rtunityld (reference) ookEntryld (reference) eDate (date) eDate (date) rder (int) ice (currency)	nce) me) nce) nce)
	Cancel				I	Vext		

Here is a power user tip. You can right-click any of the objects in the middle list and export the data as an XML or CSV file. These files will be in the correct format for the Import Datasets dialog. For example, you could export a CSV file, edit the file as a spreadsheet, and then import your changes.



Matching Fields

Snapshot uses the loaded fields to identify matching records in the destination org during migration. If a source record matches a destination record, then the corresponding destination record is updated. If a source record does not match any destination record, then a new destination record is created.

Snapshot automatically selects common matching fields for you. However, you can also manually select matching fields. For example, if you want to match Accounts by Name and BillingCity, then be sure that both Name and BillingCity are loaded. The selected fields create a logical AND filter for matching destination records.

One powerful way to match destination objects is with External Ids. Other common matching fields include object names, email addresses, and usernames. These fields will automatically be available to select for matching. Some Salesforce sandboxes have the same Ids as production orgs. In that case you can simply use the Id field for matching destination objects.

Another way to match destination objects is with Virtual IDs. Use the Virtual Id to match hard to find objects that don't have a name. When these objects are created, Snapshot will remember the source ID and destination ID and always match them during future migrations.

Migrate Datasets For Winter I Select Dataset Matching Fields	Release (account_data to newss@mz.com) Scramble Fields Deactivate Assets Migrate Data	set Schedule Migrate		
Select the fields that are used to find m	atching objects on the destination.	Default Values		
Source Objects	Available Fields	latching Fields		
Account (Select All)	Quick Find Available Fields	Quick Find Matching Fields		
Opportunity (AccountId) OpportunityLineItem (Opportuni	LastModifiedDate B NumberOfEmployees N	illingPostalCode ame		
User (External Reference) Account (External Reference) RecordType (External Reference) Campaign (External Reference) Pricebook2 (External Reference) Contact (External Reference) PricebookEntry (External Reference) Product2 (External Reference)	Ownership Phone Rating ShippingCountry ShippingCountry ShippingLongitude ShippingLongitude ShippingState ShippingStreet Sic SicDesc Site TickerSymbol Type VirtualId Website			
	OK Ne:	d		



Underneath the dividing line you will see "external references" to other objects in the destination org. Snapshot will automatically connect external references to matching objects on the destination org when the dataset is migrated. You can manually specify additional fields needed for matching external references as well.

Scrambled Fields

Datasets are often used to move records into a Salesforce Sandbox or Developer Edition for testing or application development. In these situations, you may want to scramble data records that contain sensitive information. These fields might contain financial information, such as credit cards or bank accounts, or personal information, such as email addresses or Social Security numbers. The Scramble Fields tab provides an easy way to obscure fields on the destination org. Move the fields that you want to scramble over to the list at right.



Also notice the Data Transforms button at the lower right. Use this feature to transform field values on the fly as they are being written to the destination org. You can transform field values by prefix, suffix, or substring. You can also search and replace by multiple values. This is useful for remapping picklists.



Deactivate Assets

When a Salesforce record is inserted or updated, various Apex Triggers, Workflow Rules, and Validation Rules might be invoked. Apex Triggers perform custom actions before or after records are changed. Workflow Rules can also be invoked when records change, at which point they will perform automated actions. Validation Rules verify that the record data meets some kind of criteria before being inserted, updated, or deleted.

All of these automated behaviors can cause potentially undesirable effects during data migration. For example, thousands of emails might be sent out, or some records might not be updated. The Deactivate Assets tab provides an easy way to deactivate Apex Triggers, Workflow Rules, and Validation Rules in the destination org before data migration is attempted. After migration, the deactivated triggers and rules will be turned back on.

Select Dataset Matching Fields S	cram	ble Fields Deactivate Assets	Migrat	e D	ataset Schedule Migrate	
heck the assets below that you want to d	eacti	vate before migration. The assets wil	l be rea	activ	vated after migration.	
Duplicate Rules		Workflow Rules			Validation Rules	
Quick Find Duplicate Rules		Quick Find Workflow Rules		1	Quick Find Validation Rules	
Account.Duplicate_Account_Rul		X Account	*	1	A_DX_Objectc	*
Contact.Standard_Rule_for_Contacts	Im	Adam_Barc		m	X Account	
Lead.Standard_Rule_for_Leads_with		CaseComment	*		Account_Custom_Settingsc	*
		Contact	*		Account_Platform_Event_e	*
		Field_TripField_Analysisc	*		AccountBrand	*
		Field_TripObject_Analysisc	*		AccountContactRole	*
			414		- A second Deletionship	ala
Apex Triggers		Flow Definitions			Restricted Picklists	
Quick Find Apex Triggers		Quick Find Flow Definitions		1	Quick Find Restricted Picklists	
chatter_answers_question_escalation		customer_satisfaction	*	1	A_DX_Objectc	*
SetActiveWhenNewAccountCreated		My_test_Flow	*		X Account	
		net_promoter_score	*		Account_Custom_Settingsc	*
		Test_Process	*		Account_Platform_Evente	*
		Update_Project_when_Task_time	e_up		AccountBrand	*
		v45_2Flows	*		AccountContactRole	*
		- v4EElow	ste		A accustBalationabia	ste



Migrate Datasets Button

The next tab has the main interface for migrating datasets to the destination org. First, make sure that the migration options are set correctly, these are discussed in more detail below. Then click the Migrate Datasets button to get started. All of the details of the migration will be written to the report at lower right. The last tab allows you to Migrate Datasets at a specific time in the future or as a recurring event.

Select Dataset Matching Fields Scramble Fields De	activate Assets Migrate Dataset Schedule Migrate
Upsert Records Only Click the button to mo	ve account_data to newss@mz.com Working
) Stop After Error ○ Don't Truncate Fields ○ Log M	ligration Errors Oserial Processing Upsert Batch Size:
Continue After Error OAllow Field Truncation O Log E	rrors And Succes O Parallel Processing 4000
Source Objects	Migrate Report
Account (Select All) Opportunity (AccountId) OpportunityLineItem (OpportunityId)	Created username person1@metazoa.com Created fullname Tim Barnes Created orgid 00D30000000vueEAA Destination username newss@mz.com Destination fullname Tim Barnes Destination orgid 00Di000000b17rEAE IIII Migrating dataset account_data Phase 1: interior relationships Deactivating selected assets



Migration Options

There are various options for Data Migration:

- Upsert Records Only
- Delete Then Upsert
- Delete Records Only

The menu in the upper left gives you the option to delete the current dataset before migration, delete and then upsert, and upsert only. For production orgs we check twice that the administrator wants to delete the data. Be careful with this option.

- Stop After Error
- Continue After Error

If an error occurs, then Snapshot will either stop processing additional files with the Bulk API or continue. All errors are written to the log files. Common errors include too many duplicate records, email addresses in the wrong format, field data in the wrong format, etc.

- Don't Truncate Fields
- Allow Field Truncation

One common problem when moving data between different types of orgs is text strings that are too long for the destination field. Select this option to automatically truncate fields to the correct length or otherwise report an error.

- Log Migration Errors
- Log Errors and Success

All errors are written to the Log Files located in the "datasets" folder in the Snapshot file system. Optionally you can also log successful migrations. The log file contains the source and destination Ids as well as any error message.

- Serial Processing
- Parallel Processing

Parallel processing is faster but may cause database lock errors. Switch to serial processing if there are lots of lock errors reported.

The Upsert Batch Size field is used for specifying smaller batch sizes. There is a limit of 12 duplicate records per batch, so a smaller batch size may be helpful in avoiding this error.



Special Cases

Our Monarch product has been rewritten quite a few times over the last 15 years. Along the way we have added some special cases to handle difficult migration issues. Ironically, Custom Objects work great, and we handle every use case. The problems start when migrating Standard Objects that were developed back in the olden days. They often have special server-side rules and constraints that require special handling.

Polymorphic Relationships

Some lookup relationship fields are polymorphic. This means that a single relationship field can reference many different types of objects. For example, the Event object has a polymorphic relationship field called WhatID. This field can refer to dozens of different object types including Accounts, Contracts, and Opportunities.

Since many different types of objects can be referenced, there is no easy way to specify complex matching criteria for polymorphic relationship fields. By default, polymorphic relationship fields only reference the destination object by name. But some objects (like Accounts) can have duplicate names. Monarch handles this situation by first matching by name and then looking for External ID fields that match the source object ID.



Opportunity Pricebooks

Every Opportunity has some Opportunity Line Items, and each line item is associated with a Pricebook Entry. The Pricebook Entry is automatically generated to match each Product and Pricebook pair. However, the Opportunity also has a direct reference to a Pricebook. That Pricebook must be the same one that is indirectly referenced by the Opportunity Line Item via the Pricebook Entry.



You can only create Opportunity Line Items that reference the same Pricebook that the Opportunity uses. This is tricky because the reference is indirect on both sides, so the correct Pricebook Entry must be selected. Monarch will do this automatically for you. Simply migrate these items in the hierarchy below:

```
Product2 (Select All)
Pricebook2 (Select All)
PricebookEntry (Pricebook2Id)
```



Group Members

Here is another special case. Group Members are the junction object that connects a Group to another User or Group. They are not updateable, so Monarch will delete them and then create them as needed during migration. Be sure that the parent Group is migrated at the same time, the hierarchy should look like this:

```
Group (Select All)
GroupMember (GroupId)
```

Custom Settings

There are two types of Custom Settings: List and Hierarchical. List custom settings must have a unique name, and the Setup Owner Id field must be equal to the Organization Id. Hierarchical settings must have unique Setup Owner Id that is equal to the Organization ID, a User ID, or a Profile ID. All of these constraints make Custom Settings hard to migrate. Monarch will handle the migration automagically, although there are some possible errors. For example, you cannot migrate a list Custom Setting to a hierarchical one, and vice versa.

Bulk API Limitations

The Bulk API won't move everything. A related problem is that some objects have Base64 fields that can be gigantic. For these special object Monarch switches to the SOAP Data API and handles the migration in a serial mode. This ensures that every type of object can be migrated. Here are the objects with Base64 fields:

- Attachment
- ContentNote
- ContentVersion
- Document
- EmailCapture
- EventLogFile
- MailmergeTemplate
- MobileApplicationDetail
- QuoteDocument
- Scontrol
- StaticResource



And here are the objects the Bulk API does not support:

- AcceptedEventRelation
- CaseStatus
- ContractStatus
- KnowledgeArticle
- KnowledgeArticleVersion
- KnowledgeArticleVersionHistory
- KnowledgeArticleViewStat
- KnowledgeArticleVoteStat
- LeadStatus
- OpportunityStage
- PartnerRole
- RecentlyViewed
- SolutionStatus
- TaskPriority
- UserRecordAccess
- ContentFolderItem
- DeclinedEventRelation
- EventWhoRelation
- TaskStatus
- TaskWhoRelation
- UndecidedEventRelation
- AccountUserTerritory2View
- DevelopmentPackageVersion
- InstalledPackageVersion



Conclusion

This whitepaper has discussed the best practices for data migration using Snapshot on the Salesforce platform. The Snapshot product from Metazoa provides a best-of-breed solution for continuous integration with a highly flexible toolset.

support@metazoa.com

1-833-METAZOA 1-833-638-2962

https://www.metazoa.com

Twitter: @metazoa4sf

Facebook: https://www.facebook.com/metazoa4sf

LinkedIn: https://www.linkedin.com/company/18493594/